SOUTHERN NEVADA BUILDING OFFICIALS REGIONAL STANDARDS

B-109 6-24-08 PG. 1 OF 1

GLAZING AT POOL DECKS

Clark County

Dept. of Develop. Services 4701 W Russell Rd Las Vegas, NV 89118 (702) 455-3000

Boulder City

Building Department 401 California Avenue Boulder City, NV 89005 (702) 293-9282

Henderson


Bldg & Fire Safety Dept. 240 Water Street Henderson, NV 89015 (702) 267-3650

Las Vegas

Building & Safety Dept. 731 S. 4th Street Las Vegas, NV 89101 (702) 229-6916

SAFETY GLAZING IS REQUIRED FOR GLAZING IN WALLS OR FENCES ENCLOSING SWIMMING POOLS AND SPAS WHEN THE FOLLOWING TWO CONDITIONS BOTH EXIST:

 THE BOTTOM EDGE OF THE GLAZING IS LESS THAN 5' ABOVE THE SWIMMING POOL/SPA DECKING.



Mesquite

Building Department 10 East Mesquite Blvd. Mesquite, NV 89027 (702) 346-2835

North Las Vegas

Building Department 2240 Civic Center Drive N. Las Vegas, NV 89030 (702) 633-1577

Pahrump

Regional Planning District 1210 E. Basin Avenue, Suite #1 Pahrump, NV 89060 (775) 751-3373